



Revision number: 1

Purchasing Agent: DEBBIE GUNDERSEN

**Item: FORK LIFT TRUCK (GASOLINE POWERED) NEW 6500#**

Vendor: 24888J FMH MATERIAL HANDLING SOLUTION  
2560 S 3270 W  
SALT LAKE CITY UT 84119

Internet Homepage: fmhsolutions.com

Telephone: (801) 972-7011

Fax number: (801) 972-7017

Contact: DAVE STIREMAN

Email address: dpstireman@aol.com

Brand/trade name: DAEWOO

Price: SEE ATTACHED PRICE LIST

Terms: NET

Effective dates: 02/10/01 THROUGH 02/10/03

Days required for delivery: 90 DAYS

Price guarantee period: 1 YEAR

Minimum order: ONE UNIT

Min shipment without charges: INCLUDED IN PRICE

Other conditions: ONE (1) YEAR RENEWAL OPTION

---

**REVISION #1: EXTENDING THIS CONTRACT UNTIL 02/10/03**

---

This contract resulted from bid # DG1130.

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.



- 1- 1 EACH 6500# GASOLINE POWERED FORK LIFT TRUCK, NEW INCLUDING DELIVERY - DAEWOO MODEL G32P @ \$20,836.00/EA.**

### **GENERAL SPECIFICATIONS**

The fork lift is to be a new unit of current model.

### **WARRANTY**

All warranty periods shall start after equipment has been put into service. Any special warranty to include price and description of optional extended warranties available

**Items Covered:** *FULL-12 MONTHS/DRIVE TRAIN- 24 months.*

**Capacity** 6500 lb. at 24 in. load center.

**Forks** Fork height at full lift should be a minimum of 130 in. *Height 138*  
Fork length should be a minimum of 48 in. *Length 48*  
Fork width should be a minimum of 5 in. *Width 5*  
Tilt to be a minimum of 6 degrees forward and rear. *Front 6 Rear 8*  
Hydraulics to include the capability of side shift of the forks.

**Dimensions** The wheelbase should be a minimum of 63 inches. *Wheelbase 64*  
The weight to be a minimum of 9,600 pounds. *Weight 9987*  
The maximum turning radius should be 110 inches. *Radius 93*  
Hydraulics to include the capability of side shift of the forks.

**Tires** To have dual pneumatic tires on load axle.  
Size 7 x 12 x 15, 12 ply rating, minimum.

**Engine** Gasoline powered 57 H.P. minimum. *HP rating 59*  
136 cubic inch displacement minimum. *Cubic Inch 181*

**Transmission** Single speed, power shift with control lever for forward/reverse on the steering column.

**Safety** To have ROPS canopy, backup alarm, horn, and a neutral safety switch.

**Accessories** To include front and rear work lights, brake lights, back up lights, as well as turn signals. Monitoring system to include hour meter, water temperature gauge, fuel level gauge, oil pressure, and air cleaner warning light.

**OPTION** Tilt Steering.



**QUALITY** The unit will be inspected when delivered. Design, materials and components are to be as specified or when not specified, are to be as generally furnished for the intended service. Units failing this inspection will not be accepted.

**Training**

To provide 1 day of training at facility.

**Delivery**

Delivery of units is to be made within 90 days after receipt of order.

Delivery must include one complete set of replacement filters for each unit delivered.

Delivery must include the following:

- dealer's invoice
- a copy of warranty
- operator's manual for each unit
- 2 complete sets of manuals including:  
parts list, repair manual, operator's manual

Cost of these manuals is to be included in bid price.

Invoices will not be approved for payment until all documentation and manuals have been received.

**REPORTS:**

The contractor will submit yearly reports to the State Purchasing Agent (Debbie Gundersen) showing quantities and dollar volume of purchases by each agency and political subdivision. This report will be due 02/01/2001.

**FINET COMMODITY CODE(S): FOR AGENCY USE ONLY**

56048000000 - LIFTERS AND STACKERS, HYDRAULIC AND POWERED